



Black Backing Strips

Versatile black backing strips for express joint applications.



Heavy Gauge Top Hats

Available in a range of sizes for fixing cladding to interior and exterior building structures.



Slotted Angle for Hebel

Suitable for autoclaved concrete panel systems.


TOP HAT & CLADDING SECTIONS



Part No.	JUNCTION STUD	Length mm.	Sub pack	Stock pack	Approx kg/pce
1.15 Junction Studs.					
JS501511-36	50 x 15 x 1.15 TCT Junction Stud	3600	1	100	3.40
JS501511-60	50 x 15 x 1.15 TCT Junction Stud	6000	1	100	5.66
JS751511-60	75 x 15 x 1.15 TCT Junction Stud #	6000	1	100	6.70
JS502411-60	50 x 24 x 1.15 TCT Junction Stud	6000	1	100	7.56
JS752411-36	75 x 24 x 1.15 TCT Junction Stud #	3600	1	100	4.75
JS752411-60	75 x 24 x 1.15 TCT Junction Stud #	6000	1	100	7.93
JS503511-36	50 x 35 x 1.15 TCT Junction Stud #	3600	1	50	5.16
JS503511-60	50 x 35 x 1.15 TCT Junction Stud	6000	1	50	8.59
JS753511-36	75 x 35 x 1.15 TCT Junction Stud #	3600	1	50	5.96
JS753511-60	75 x 35 x 1.15 TCT Junction Stud	6000	1	50	9.94
JS1203511-60	120 X 35 X 1.15 TCT Junction Stud #	6000	1	50	11.30
JS505011-36	50 x 50 x 1.15 TCT Junction Stud #	3600	1	50	6.96
JS505011-60	50 x 50 x 1.15 TCT Junction Stud #	6000	1	50	11.61
JS755011-36	75 x 50 x 1.15 TCT Junction Stud #	3600	1	50	6.96
JS755011-60	75 x 50 x 1.15 TCT Junction Stud	6000	1	50	11.61
0.75 Junction Studs.					
JS501507-60	50 x 15 x 0.75 TCT Junction Stud	6000	1	100	3.68
JS502407-60	50 x 24 x 0.75 TCT Junction Stud	6000	1	100	4.92
JS752407-60	75 x 24 x 0.75 TCT Junction Stud #	6000	1	50	7.93
JS503507-60	50 x 35 x 0.75 TCT Junction Stud	6000	1	50	5.60
JS505007-60	50 x 50 x 0.75 TCT Junction Stud	6000	1	50	7.55



Part No.	XP WALL SYSTEM	Length mm.	Sub pack	Stock pack	Approx kg/pce
XP001	Studco XP-Wall Metal Backing Strip 2.99m	2990	1	1	
XP003	Studco XP-Wall 48mm Foam Tape 25m	25M	1	1	



Part No.	BLACK BACKING STRIP	Length mm.	Sub pack	Stock pack	Approx kg/pce
Versatile black backing strips available in 50mm and 100mm width for express joint applications.					
GSB10055-3000	Black c/bond x 0.55 BMT x 100 x 3000mm	3000	1	1	1.92
GSB5055-3000	Black c/bond x 0.55 BMT x 50 x 3000mm	3000	1	1	0.96

Lead time and minimum quantities may apply

TOP HAT & CLADDING SECTIONS



Part No.	SMOOTH FACE BATTEN	Length mm.	Sub pack	Stock pack	Approx kg/pce
<i>Smooth Face Batten for Use in Composite Cladding Applications to suit Double Sided Tape.</i>					
M333S-60	13mm Recessed Smooth Face Batten #	6000	10	200	3.11



Part No.	BATTEN SECTION	Length mm.	Sub pack	Stock pack	Approx kg/pce
M304-60	24mm x 0.75 BMT Batten #	6000	10	100	0.62

Rolled to your length on request



Part No.	ROOF BATTEN	Length mm.	Sub pack	Stock pack	Approx kg/pce
THM40-48	41 x 40 Roof Batten x 0.48 BMT	4800	10	150	2.92
THM40-6000	41 x 40 Roof Batten x 0.48 BMT	6000	10	150	3.65



Part No.	TOP HAT	Length mm.	Sub pack	Stock pack	Approx kg/pce
TH5075-48	Top Hat 50mm x 0.75 BMT #	4800	1	100	5.04
TH5075-60	Top Hat 50mm x 0.75 BMT #	6000	1	100	6.30
TH6475-48	Top Hat 64mm x 0.75 BMT #	4800	1	100	5.80
TH6495-60	Top Hat 64mm x 0.95 BMT #	6000	1	100	9.18
TH7575-48	Top Hat 75mm x 0.75 BMT #	4800	1	100	6.57
TH7595-60	Top Hat 75mm x 0.95 BMT #	6000	1	100	10.44
TH9675-48	Top Hat 96mm x 0.75 BMT #	4800	1	100	7.77
TH9695-60	Top Hat 96mm x 0.95 BMT #	6000	1	100	12.36
TH12075-48	Top Hat 120mm x 0.75 BMT #	4800	1	100	10.22
TH12095-60	Top Hat 120mm x 0.95 BMT #	6000	1	100	16.20

Rolled to your length on request.

Lead time and minimum quantities may apply

Phone: (03) 9737 2500

TOP HAT & CLADDING SECTIONS

TOP HAT & CLADDING SECTIONS



Part No.	JUNCTION STUD BRACKETS	Sub pack	Stock pack	Approx kg/pce
<i>Innovative Bracket for Use with Junction Studs to Provide Adjustment. Eliminating the Need for Packers.</i>				
BTH1	Type 1 35 x 47 x 35 x 1.9 #	1	100	0.16
BTH2	Type 2 55 x 47 x 55 x 1.9 #	1	100	0.22

* This is the minimum and maximum distance between the base substrate and the back face of the lining material. A junction stud directly fixed to the substrate would have a distance of 35mm. Each bracket gives approx. 20mm of adjustment.



Part No.	FACADE ANGLE	Length mm.	Sub pack	Stock pack	Approx kg/pce
FA108-30	100 x 100 x 0.75 BMT #	3000	1	100	3.77
FA1012-30	100 x 100 x 1.15 BMT #	3000	1	100	5.65
FA758-30	75 x 75 x 0.75 BMT #	3000	1	100	2.83
FA7512-30	75 x 75 x 1.15 BMT #	3000	1	100	4.24



Part No.	ANGLE	Length mm.	Sub pack	Stock pack	Approx kg/pce
BA508-36	50 x 50 x 0.75 BMT	3600	20	200	2.23
BA5012-36	50 x 50 x 1.15 BMT	3600	20	200	3.36



Part No.	GALVANISED SHEET	Length mm.	Sub pack	Stock pack	Approx kg/pce
<i>Galvanised Steel Sheet provides extra strength where security walls are required. Other sizes and thicknesses available on request.</i>					
GS1224	Galvanised Sheet x 1.15 BMT #	1000	1	10	28.00



Part No.	SLOTTED ANGLE	Length mm.	Sub pack	Stock pack	Approx kg/pce
<i>Suitable for autoclad created concrete panel systems.</i>					
SA58-24	Slotted Angle 50 x 50 x 0.75 BMT	2400	20	500	1.48

Lead time and minimum quantities may apply